

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	18239	(@ad< "20011120" or @rlad< "20011120") and (cable).ti.	US-PGPUB; USPAT	OR	ON	2009/03/18 08:15
L4	723	(@ad< "20011120" or @rlad< "20011120") and (cable).ti. and (power with connector)	US-PGPUB; USPAT	OR	ON	2009/03/18 08:15
L5	35	(@ad< "20011120" or @rlad< "20011120") and (cable).ti. and (power with connector with separate)	US-PGPUB; USPAT	OR	ON	2009/03/18 08:15
S39	104	(@ad< "20011120" or @rlad< "20011120") and "333"/\$.ccls. and Ethernet	US-PGPUB; USPAT	OR	ON	2007/06/14 08:43
S40	64	(@ad< "20011120" or @rlad< "20011120") and "333"/\$.ccls. and Ethernet and power	US-PGPUB; USPAT	OR	ON	2007/12/18 08:41
S41	0	(@ad< "20011120" or @rlad< "20011120") and "333"/\$.ccls. and Ethernet and power and environmental\$3 with harden \$3	US-PGPUB; USPAT	OR	ON	2007/06/14 08:43
S42	4	(@ad< "20011120" or @rlad< "20011120") and "333"/\$.ccls. and Ethernet and power and outdoor	US-PGPUB; USPAT	OR	ON	2007/06/14 08:44
S43	64	(@ad< "20011120" or @rlad< "20011120") and "333"/\$.ccls. and Ethernet and power	US-PGPUB; USPAT	OR	ON	2007/06/14 08:44
S44	21	(@ad< "20011120" or @rlad< "20011120") and "333"/\$.ccls. and Ethernet and power with data	US-PGPUB; USPAT	OR	ON	2007/06/14 08:51
S45	7332	(@ad< "20011120" or @rlad< "20011120") and Ethernet and (data with power)	US-PGPUB; USPAT	OR	ON	2007/06/14 08:52
S46	501	(@ad< "20011120" or @rlad< "20011120") and Ethernet and (data with power) and gauge	US-PGPUB; USPAT	OR	ON	2007/06/14 08:52
S47	27	(@ad< "20011120" or @rlad< "20011120") and Ethernet and (data with power) and gauge and UTP	US-PGPUB; USPAT	OR	ON	2007/06/14 08:52

S48	17	(@ad<"20011120" or @rlad<"20011120") and Ethernet and (data with power) and gauge and UTP with pairs	US-PGPUB; USPAT	OR	ON	2007/06/14 08:52
S49	203	(@ad<"20011120" or @rlad<"20011120") and Ethernet and (data with power) and gauge and (UTP or twisted adj pairs)	US-PGPUB; USPAT	OR	ON	2007/06/14 08:53
S50	0	(@ad<"20011120" or @rlad<"20011120") and Ethernet and (data with power) and gauge and (UTP or twisted adj pairs) and (gel with sheathing)	US-PGPUB; USPAT	OR	ON	2007/06/14 08:53
S51	8	(@ad<"20011120" or @rlad<"20011120") and Ethernet and (data with power) and gauge and (UTP or twisted adj pairs) and (sheath\$3)	US-PGPUB; USPAT	OR	ON	2007/06/14 08:54
S52	21	(@ad<"20011120" or @rlad<"20011120") and Ethernet and (data with power) and gauge and (UTP or twisted adj pairs) and (foil)	US-PGPUB; USPAT	OR	ON	2007/06/14 08:54
S53	0	(@ad<"20011120" or @rlad<"20011120") and Ethernet and (data with power) and gauge and (UTP or twisted adj pairs) and (foil) and (suspension adj line)	US-PGPUB; USPAT	OR	ON	2007/06/14 08:54
S54	12	(@ad<"20011120" or @rlad<"20011120") and Ethernet and (data with power) and gauge and (UTP or twisted adj pairs) and (foil) and (suspension)	US-PGPUB; USPAT	OR	ON	2007/06/14 08:54
S55	12	(@ad<"20011120" or @rlad<"20011120") and Ethernet and (data with power) and gauge and (UTP or twisted adj pairs) and (foil) and (suspension)	US-PGPUB; USPAT	OR	ON	2007/06/14 08:55
S56	21	(@ad<"20011120" or @rlad<"20011120") and Ethernet and (data with power) and gauge and (UTP or twisted adj pairs) and (foil)	US-PGPUB; USPAT	OR	ON	2007/06/14 08:55

S57	9	(@ad<"20011120" or @rlad<"20011120") and Ethernet and (data with power) and gauge and (UTP or twisted adj pairs) and (foil) not S55	US-PGPUB; USPAT	OR	ON	2007/06/14 08:56
S58	721	(@ad<"20011120" or @rlad<"20011120") and Ethernet and (data with power with cable)	US-PGPUB; USPAT	OR	ON	2007/06/14 08:56
S59	82	(@ad<"20011120" or @rlad<"20011120") and Ethernet with (data with power with cable)	US-PGPUB; USPAT	OR	ON	2007/06/14 08:56
S60	18	(@ad<"20011120" or @rlad<"20011120") and Ethernet with (data with power with cable) and gauge	US-PGPUB; USPAT	OR	ON	2007/06/14 08:56
S61	27	(@ad<"20011120" or @rlad<"20011120") and Ethernet with (data with power with cable) and twisted adj pair	US-PGPUB; USPAT	OR	ON	2007/06/14 08:56
S62	27	(@ad<"20011120" or @rlad<"20011120") and Ethernet with (data with power with cable) and ((twisted adj pair) or UTP)	US-PGPUB; USPAT	OR	ON	2007/06/14 08:57
S63	13	(@ad<"20011120" or @rlad<"20011120") and Ethernet with cable and environment\$4 with harden \$2	US-PGPUB; USPAT	OR	ON	2007/06/14 09:08
S64	2	(@ad<"20011120" or @rlad<"20011120") and Ethernet and environment\$4 with harden\$2 with cable	US-PGPUB; USPAT	OR	ON	2007/06/14 09:09
S65	66	(@ad<"20011120" or @rlad<"20011120") and Ethernet and outdoor with cable	US-PGPUB; USPAT	OR	ON	2007/06/14 09:09
S66	0	(@ad<"20011120" or @rlad<"20011120") and Ethernet with outdoor with cable	US-PGPUB; USPAT	OR	ON	2007/06/14 09:09
S67	17	(@ad<"20011120" or @rlad<"20011120") and Ethernet with outside with cable	US-PGPUB; USPAT	OR	ON	2007/06/14 14:33
S68	10	(@ad<"20011120" or @rlad<"20011120") and (neighborhood adj area adj network)	US-PGPUB; USPAT	OR	ON	2007/06/14 09:10

S69	1	(@ad< "20011120" or @rlad< "20011120") and (neighborhood adj area adj network) with ethernet	US-PGPUB; USPAT	OR	ON	2007/06/14 09:10
S70	0	(@ad< "20011120" or @rlad< "20011120") and Ethernet with outdoor with cable	US-PGPUB; USPAT	OR	ON	2007/06/14 13:52
S71	66	(@ad< "20011120" or @rlad< "20011120") and Ethernet and outdoor with cable	US-PGPUB; USPAT	OR	ON	2007/06/14 13:53
S72	19	(@ad< "20011120" or @rlad< "20011120") and Ethernet same outdoor with cable	US-PGPUB; USPAT	OR	ON	2007/06/14 13:55
S73	9	(@ad< "20011120" or @rlad< "20011120") and environmentally adj hardened with cable	US-PGPUB; USPAT	OR	ON	2007/06/14 13:55
S74	2	(@ad< "20011120" or @rlad< "20011120") and environmentally adj hardened with cable and ethernet	US-PGPUB; USPAT	OR	ON	2007/06/14 13:59
S75	0	(@ad< "20011120" or @rlad< "20011120") and environmentally adj hardened with wire and ethernet	US-PGPUB; USPAT	OR	ON	2007/06/14 13:59
S76	60915	(@ad< "20011120" or @rlad< "20011120") and environmentally adj hardened with transmission line and ethernet	US-PGPUB; USPAT	OR	ON	2007/06/14 13:57
S77	0	(@ad< "20011120" or @rlad< "20011120") and environmentally adj hardened with transmission adj line and ethernet	US-PGPUB; USPAT	OR	ON	2007/06/14 13:59
S78	2	(@ad< "20011120" or @rlad< "20011120") and environmentally adj hardened with line and ethernet	US-PGPUB; USPAT	OR	ON	2007/06/14 13:57
S79	0	(@ad< "20011120" or @rlad< "20011120") and hardened with transmission adj line and ethernet	US-PGPUB; USPAT	OR	ON	2007/06/14 13:59
S80	2	(@ad< "20011120" or @rlad< "20011120") and hardened with wire and ethernet	US-PGPUB; USPAT	OR	ON	2007/06/14 13:59

S81	7	(@ad< "20011120" or @rlad< "20011120") and hardened with cable and ethernet	US-PGPUB; USPAT	OR	ON	2007/06/14 14:00
S82	66	(@ad< "20011120" or @rlad< "20011120") and outdoor with cable and ethernet	US-PGPUB; USPAT	OR	ON	2007/06/14 14:00
S83	19	(@ad< "20011120" or @rlad< "20011120") and outdoor with cable same ethernet	US-PGPUB; USPAT	OR	ON	2007/06/14 14:01
S84	4	(@ad< "20011120" or @rlad< "20011120") and outdoor with cable.ti.	US-PGPUB; USPAT	OR	ON	2007/06/14 14:01
S85	4	(@ad< "20011120" or @rlad< "20011120") and hardened with cable.ti.	US-PGPUB; USPAT	OR	ON	2007/06/14 14:02
S86	0	(@ad< "20011120" or @rlad< "20011120") and hardened with twisted adj pair.ti.	US-PGPUB; USPAT	OR	ON	2007/06/14 14:02
S87	0	(@ad< "20011120" or @rlad< "20011120") and hardened with twisted adj pair.ab.	US-PGPUB; USPAT	OR	ON	2007/06/14 14:02
S88	1	(@ad< "20011120" or @rlad< "20011120") and hardened with twisted adj pair	US-PGPUB; USPAT	OR	ON	2007/06/14 14:02
S89	85	(@ad< "20011120" or @rlad< "20011120") and outdoor with ethernet	US-PGPUB; USPAT	OR	ON	2007/06/14 14:02
S90	0	(@ad< "20011120" or @rlad< "20011120") and outdoor adj ethernet	US-PGPUB; USPAT	OR	ON	2007/06/14 14:03
S91	1	(@ad< "20011120" or @rlad< "20011120") and outdoor near2 ethernet	US-PGPUB; USPAT	OR	ON	2007/06/14 14:03
S92	468	(@ad< "20011120" or @rlad< "20011120") and gel with sheath\$3	US-PGPUB; USPAT	OR	ON	2007/06/14 14:06
S93	2	(@ad< "20011120" or @rlad< "20011120") and gel with sheath\$3 with twisted adj pair	US-PGPUB; USPAT	OR	ON	2007/06/14 14:07
S94	3	(@ad< "20011120" or @rlad< "20011120") and gel with sheath\$3 same twisted adj pair	US-PGPUB; USPAT	OR	ON	2007/06/14 14:08

S95	6	(@ad< "20011120" or @rlad< "20011120") and gel with sheath\$3 and twisted adj pair	US-PGPUB; USPAT	OR	ON	2007/06/14 14:11
S96	0	(@ad< "20011120" or @rlad< "20011120") and gel with sheath\$3 and twisted adj pair.ab.	US-PGPUB; USPAT	OR	ON	2007/06/14 14:08
S97	133	(@ad< "20011120" or @rlad< "20011120") and foil with drain adj wire	US-PGPUB; USPAT	OR	ON	2007/06/14 14:11
S98	11	(@ad< "20011120" or @rlad< "20011120") and foil with sheath\$3 with drain adj wire	US-PGPUB; USPAT	OR	ON	2007/06/14 14:11
S99	0	(@ad< "20011120" or @rlad< "20011120") and foil with sheath\$3 with drain adj wire and suspension adj line	US-PGPUB; USPAT	OR	ON	2007/06/14 14:12
S100	0	(@ad< "20011120" or @rlad< "20011120") and foil with sheath\$3 with drain adj wire and suspension	US-PGPUB; USPAT	OR	ON	2007/06/14 14:12
S101	11	(@ad< "20011120" or @rlad< "20011120") and foil with sheath\$3 with drain adj wire	US-PGPUB; USPAT	OR	ON	2007/06/14 14:12
S102	5200	(@ad< "20011120" or @rlad< "20011120") and Ethernet with cable	US-PGPUB; USPAT	OR	ON	2007/06/14 14:16
S103	0	(@ad< "20011120" or @rlad< "20011120") and Ethernet with cable and suspension adj line	US-PGPUB; USPAT	OR	ON	2007/06/14 14:16
S104	185	(@ad< "20011120" or @rlad< "20011120") and Ethernet with cable and suspension	US-PGPUB; USPAT	OR	ON	2007/06/14 14:16
S105	0	(@ad< "20011120" or @rlad< "20011120") and Ethernet with cable same suspension	US-PGPUB; USPAT	OR	ON	2007/06/14 14:16
S106	2	(@ad< "20011120" or @rlad< "20011120") and Ethernet with cable and cable same suspension	US-PGPUB; USPAT	OR	ON	2007/06/14 14:20
S107	44	(@ad< "20011120" or @rlad< "20011120") and twisted adj pair same suspension	US-PGPUB; USPAT	OR	ON	2007/06/14 14:18

S108	0	(@ad<"20011120" or @rlad<"20011120") and twisted adj pair same suspension adj line	US-PGPUB; USPAT	OR	ON	2007/06/14 14:18
S109	0	(@ad<"20011120" or @rlad<"20011120") and twisted adj pair same suspension and ethernet	US-PGPUB; USPAT	OR	ON	2007/06/14 14:18
S110	44	(@ad<"20011120" or @rlad<"20011120") and twisted adj pair same suspension	US-PGPUB; USPAT	OR	ON	2007/06/14 14:18
S111	20	(@ad<"20011120" or @rlad<"20011120") and twisted adj pair with suspension	US-PGPUB; USPAT	OR	ON	2007/06/14 14:18
S112	1	(@ad<"20011120" or @rlad<"20011120") and "4857670".pn.	US-PGPUB; USPAT	OR	ON	2007/06/14 14:22
S113	1709	(@ad<"20011120" or @rlad<"20011120") and hollow adj conduit	US-PGPUB; USPAT	OR	ON	2007/06/14 14:22
S114	10	(@ad<"20011120" or @rlad<"20011120") and hollow adj conduit with optical	US-PGPUB; USPAT	OR	ON	2007/06/14 14:25
S115	34	(@ad<"20011120" or @rlad<"20011120") and ethernet with rate with distance	US-PGPUB; USPAT	OR	ON	2007/06/14 14:26
S116	1	(@ad<"20011120" or @rlad<"20011120") and ethernet with rate with distance with increase	US-PGPUB; USPAT	OR	ON	2007/06/14 14:26
S117	153	(@ad<"20011120" or @rlad<"20011120") and ethernet and lower with rate with distance	US-PGPUB; USPAT	OR	ON	2007/06/14 14:27
S118	20	(@ad<"20011120" or @rlad<"20011120") and ethernet and lower near rate with distance	US-PGPUB; USPAT	OR	ON	2007/06/14 14:27
S119	0	(@ad<"20011120" or @rlad<"20011120") and Ethernet and gold with pins with sockets	US-PGPUB; USPAT	OR	ON	2007/06/14 14:33
S120	3	(@ad<"20011120" or @rlad<"20011120") and Ethernet and gold with pins	US-PGPUB; USPAT	OR	ON	2007/06/14 14:34
S121	48	(@ad<"20011120" or @rlad<"20011120") and gold with plated with pins with sockets	US-PGPUB; USPAT	OR	ON	2007/06/14 14:34

S122	0	(@ad<"20011120" or @rlad<"20011120") and gold with plated with pins with sockets and ethernet	US-PGPUB; USPAT	OR	ON	2007/12/18 09:26
S123	1	(@ad<"20011120" or @rlad<"20011120") and gold with plated with pins with sockets and LAN	US-PGPUB; USPAT	OR	ON	2007/12/18 09:16
S124	672	(@ad<"20011120" or @rlad<"20011120") and (wire with four with twisted near pair)	US-PGPUB; USPAT	OR	ON	2007/12/18 08:41
S125	36	(@ad<"20011120" or @rlad<"20011120") and (wire with four with twisted near pair) and (sheath with pair)	US-PGPUB; USPAT	OR	ON	2007/12/18 08:42
S126	3	(@ad<"20011120" or @rlad<"20011120") and (wire with four with twisted near pair) and (sheath with pair) and (wire with power)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:01
S127	574	(@ad<"20011120" or @rlad<"20011120") and (cable with ground with return)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:01
S128	258	(@ad<"20011120" or @rlad<"20011120") and (cable with ground near return)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:01
S129	3	(@ad<"20011120" or @rlad<"20011120") and (cable with ground near return with advantage)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:01
S130	0	(@ad<"20011120" or @rlad<"20011120") and (cable with ground near return with for)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:01
S131	13	(@ad<"20011120" or @rlad<"20011120") and (cable with ground near return with used)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:03
S132	75	(@ad<"20011120" or @rlad<"20011120") and (power with ground near return with used)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:03
S133	7	(@ad<"20011120" or @rlad<"20011120") and (power with ground near return with advantage)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:04



S134	940	(@ad< "20011120" or @rlad< "20011120") and (power with ground near return)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:04
S135	81	(@ad< "20011120" or @rlad< "20011120") and (power near ground near return)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:04
S136	6	(@ad< "20011120" or @rlad< "20011120") and (power near ground near return) and (cable or wire or transmission).ti.	US-PGPUB; USPAT	OR	ON	2007/12/18 09:07
S137	6	(@ad< "20011120" or @rlad< "20011120") and (power near ground near return) and (cable or wire or transmission).ti.	US-PGPUB; USPAT	OR	ON	2007/12/18 09:07
S138	32	(@ad< "20011120" or @rlad< "20011120") and (power near5 ground near return) and (cable or wire or transmission).ti.	US-PGPUB; USPAT	OR	ON	2007/12/18 09:07
S139	26	(@ad< "20011120" or @rlad< "20011120") and (power near5 ground near return) and (cable or wire or transmission).ti. not S137	US-PGPUB; USPAT	OR	ON	2007/12/18 09:08
S140	201	(@ad< "20011120" or @rlad< "20011120") and (transient adj voltage adj protection)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:17
S141	74	(@ad< "20011120" or @rlad< "20011120") and (transient adj voltage adj protection) and (power with control)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:17
S142	2	(@ad< "20011120" or @rlad< "20011120") and (transient adj voltage adj protection with bus) and (power with control)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:17
S143	46408	(@ad< "20011120" or @rlad< "20011120") and (environmentally)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:26
S144	51	(@ad< "20011120" or @rlad< "20011120") and (environmentally adj hardened)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:26
S145	10	(@ad< "20011120" or @rlad< "20011120") and (environmentally adj hardened) with (cable or wire)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:28

S146	0	(@ad<"20011120" or @riad<"20011120") and (environmentally adj hardened) with (cable or wire) and (moisture and interference)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:27
S147	0	(@ad<"20011120" or @riad<"20011120") and (environmentally adj hardened) with (cable or wire) and (moisture)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:27
S148	0	(@ad<"20011120" or @riad<"20011120") and (cable or wire) and (protect with moisture with emi)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:29
S149	0	(@ad<"20011120" or @riad<"20011120") and (cable or wire) and (protect with moisture with interference)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:29
S150	0	(@ad<"20011120" or @riad<"20011120") and (cable or wire) and (protect \$3 with moisture with interference)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:29
S151	5	(@ad<"20011120" or @riad<"20011120") and (cable or wire) and (protect \$3 with moisture)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:29
S152	3662	(@ad<"20011120" or @riad<"20011120") and (cable or wire) and (protect \$3 with weather)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:29
S153	749	(@ad<"20011120" or @riad<"20011120") and (cable or wire) same (protect \$3 with weather)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:29
S154	314	(@ad<"20011120" or @riad<"20011120") and (cable or wire) with (protect \$3 with weather)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:29
S155	8	(@ad<"20011120" or @riad<"20011120") and (cable or wire) with (protect \$3 with weather with interference)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:30
S156	0	(@ad<"20011120" or @riad<"20011120") and (cable or wire) with (protect \$3 with weather) and (shield \$3 with interference)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:31

S157	0	(@ad< "20011120" or @rlad< "20011120") and (cable or wire) with (protect \$3 with weather) and (shield \$3 with interference)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:31
S158	0	(@ad< "20011120" or @rlad< "20011120") and (cable or wire) with (protect \$3 with weather) and (interference)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:31
S159	50	(@ad< "20011120" or @rlad< "20011120") and (cable or wire) with (protect \$3 with weather) and (interference)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:31
S160	10	(@ad< "20011120" or @rlad< "20011120") and (cable or wire) with (protect \$3 with weather) and (shield \$3 with interference)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:32
S161	69	(@ad< "20011120" or @rlad< "20011120") and (protect\$3 with weather) and (shield\$3 with interference)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:32
S162	11	(@ad< "20011120" or @rlad< "20011120") and (protect\$3 with weather) same (shield\$3 with interference)	US-PGPUB; USPAT	OR	ON	2007/12/18 09:33
S163	23	(@ad< "20011120" or @rlad< "20011120") and connector with protective with gel	US-PGPUB; USPAT	OR	ON	2008/05/28 10:29
S164	0	(@ad< "20011120" or @rlad< "20011120") and connector with protective with gel with dielectric	US-PGPUB; USPAT	OR	ON	2008/05/28 10:30
S165	35	(@ad< "20011120" or @rlad< "20011120") and connector with gel with dielectric	US-PGPUB; USPAT	OR	ON	2008/05/28 10:30
S166	495	(@ad< "20011120" or @rlad< "20011120") and (strain adj cable)	US-PGPUB; USPAT	OR	ON	2008/05/28 10:36
S167	2	(@ad< "20011120" or @rlad< "20011120") and (strain adj cable) with removable	US-PGPUB; USPAT	OR	ON	2008/05/28 10:36
S168	0	(@ad< "20011120" or @rlad< "20011120") and (strain adj cable) with detachable	US-PGPUB; USPAT	OR	ON	2008/05/28 10:37

S169	495	(@ad< "20011120" or @rlad< "20011120") and (strain adj cable)	US-PGPUB; USPAT	OR	ON	2008/05/28 10:37
S170	9	(@ad< "20011120" or @rlad< "20011120") and (strain adj cable) with (remov \$3 or detach\$3)	US-PGPUB; USPAT	OR	ON	2008/05/28 10:38
S171	32	(@ad< "20011120" or @rlad< "20011120") and (strain adj cable) with (remov \$3 or detach\$3 or attach\$3)	US-PGPUB; USPAT	OR	ON	2008/05/28 10:39
S172	24	(@ad< "20011120" or @rlad< "20011120") and (strain adj cable) with (attach \$3)	US-PGPUB; USPAT	OR	ON	2008/05/28 10:39
S173	655	(@ad< "20011120" or @rlad< "20011120") and (support adj cable) with (attach\$3)	US-PGPUB; USPAT	OR	ON	2008/05/28 10:40
S174	24479	(@ad< "20011120" or @rlad< "20011120") and (support\ adj cable) with (remov\$3 or detach\$3)	US-PGPUB; USPAT	OR	ON	2008/05/28 10:40
S175	130	(@ad< "20011120" or @rlad< "20011120") and (support adj cable) with (remov\$3 or detach\$3)	US-PGPUB; USPAT	OR	ON	2008/05/28 10:40
S176	42	(@ad< "20011120" or @rlad< "20011120") and (support adj cable) near3 (remov\$3 or detach\$3)	US-PGPUB; USPAT	OR	ON	2008/05/28 10:41
S177	16	(@ad< "20011120" or @rlad< "20011120") and (support adj cable) near3 (removable or detachable)	US-PGPUB; USPAT	OR	ON	2008/05/28 10:41
S178	3	(@ad< "20011120" or @rlad< "20011120") and (suspension adj cable) near3 (removable or detachable)	US-PGPUB; USPAT	OR	ON	2008/05/28 10:43
S179	0	(@ad< "20011120" or @rlad< "20011120") and (suspension adj cable) near3 (peel\$3)	US-PGPUB; USPAT	OR	ON	2008/05/28 10:44
S180	0	(@ad< "20011120" or @rlad< "20011120") and ((strain or support or suspension) adj cable) near3 (peel\$3)	US-PGPUB; USPAT	OR	ON	2008/05/28 10:44
S181	1	(@ad< "20011120" or @rlad< "20011120") and ((strain or support or suspension) adj line) near3 (peel\$3)	US-PGPUB; USPAT	OR	ON	2008/05/28 10:45

S182	6	(@ad< "20011120" or @rlad< "20011120") and ((strain or support or suspension) adj line) near3 (removable or detachable)	US-PGPUB; USPAT	OR	ON	2008/05/28 10:45
S183	6	(@ad< "20011120" or @rlad< "20011120") and ((strain or support or suspension) adj wire) near3 (removable or detachable)	US-PGPUB; USPAT	OR	ON	2008/05/28 10:45
S184	24	(@ad< "20011120" or @rlad< "20011120") and ((strain or support or suspension) adj wire) with (removable or detachable)	US-PGPUB; USPAT	OR	ON	2008/05/28 10:47
S185	5324	(@ad< "20011120" or @rlad< "20011120") and ((support) adj wire)	US-PGPUB; USPAT	OR	ON	2008/05/28 10:49
S186	3	(@ad< "20011120" or @rlad< "20011120") and ((support) adj wire) with (peel\$3)	US-PGPUB; USPAT	OR	ON	2008/05/28 10:49
S187	1	"4857670".pn.	US-PGPUB; USPAT	OR	ON	2008/05/28 10:50
S188	1794	(@ad< "20011120" or @rlad< "20011120") and (unshielded with twisted with pair)	US-PGPUB; USPAT	OR	ON	2008/05/28 11:12
S189	1706	(@ad< "20011120" or @rlad< "20011120") and (unshielded near2 twisted near2 pair)	US-PGPUB; USPAT	OR	ON	2008/05/28 11:13
S190	8009	(@ad< "20011120" or @rlad< "20011120") and ((unshielded near2 twisted near2 pair) or UTP)	US-PGPUB; USPAT	OR	ON	2008/05/28 11:13
S191	1215	(@ad< "20011120" or @rlad< "20011120") and ((unshielded near2 twisted near2 pair) or UTP) with cable	US-PGPUB; USPAT	OR	ON	2008/05/28 11:13
S192	44	(@ad< "20011120" or @rlad< "20011120") and ((unshielded near2 twisted near2 pair) or UTP) with cable same power with wire	US-PGPUB; USPAT	OR	ON	2008/05/28 11:13
S193	206420	(@ad< "20011120" or @rlad< "20011120") and (category with "5" with UTP) "telephone")	US-PGPUB; USPAT	OR	ON	2008/05/28 11:15

S195	363	((@ad< "20011120" or @rlad< "20011120") and ((unshielded near2 twisted near2 pair) or UTP) with four	US-PGPUB; USPAT	OR	ON	2008/05/28 11:18
S196	1	((@ad< "20011120" or @rlad< "20011120") and ((unshielded near2 twisted near2 pair) or UTP) with four with power	US-PGPUB; USPAT	OR	ON	2008/05/28 11:18
S197	18188	((@ad< "20011120" or @rlad< "20011120") and (cable).ti.	US-PGPUB; USPAT	OR	ON	2008/05/28 11:18
S198	144	((@ad< "20011120" or @rlad< "20011120") and (cable).ti. and (UTP or unshielded adj twisted adj pair)	US-PGPUB; USPAT	OR	ON	2008/05/28 11:19
S199	0	((@ad< "20011120" or @rlad< "20011120") and (cable).ti. and (UTP or unshielded adj twisted adj pair) same power with insulated	US-PGPUB; USPAT	OR	ON	2008/05/28 11:19
S200	10	((@ad< "20011120" or @rlad< "20011120") and (cable).ti. and (UTP or unshielded adj twisted adj pair) same power	US-PGPUB; USPAT	OR	ON	2008/05/28 11:19
S201	0	WO-200070626-\$.did.	US-PGPUB; USPAT	OR	ON	2008/05/28 11:31
S202	0	WO-200070626-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 11:31
S203	1	2000WO-JP03045.ap.prai.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 11:33
S204	1	2000WO-JP03045.ap.prai.	DERWENT	OR	ON	2008/05/28 11:34
S205	112	((@ad< "20011120" or @rlad< "20011120") and (cable with pin with power with data)	US-PGPUB; USPAT	OR	ON	2008/11/19 10:02
S206	22	((@ad< "20011120" or @rlad< "20011120") and (cable with pin with power with data) and (cable.ab.)	US-PGPUB; USPAT	OR	ON	2008/11/19 10:03

S207	6	(@ad<"20011120" or @riad<"20011120") and (cable with pin with power with data) and (cable.ti.)	US-PGPUB; USPAT	OR	ON	2008/11/19 10:04
------	---	---	--------------------	----	----	---------------------

**3/ 18/ 09 8:33:25 AM****C:\ Documents and Settings\jmattis\ My Documents\ EAST\ Workspaces\ 09988467.wsp**